




ASCENSORI GEARLESS 1A CULLA




ASCENSORI GEARLESS 1A




ASCENSORI GEARLESS 2A




ASCENSORI GEARLESS 20 CULLA



ASCENSORI GEARLESS 20



ASCENSORI GEARLESS 3A




**Tabella
Ascensori Gearless Culla**

TIPO	PORTATA Kg.	PERSONE n.	UTILIZZO	LC cm.	PC cm.	LV cm.	PV cm.	HC min cm.	LP min cm.	HP min cm.	Fossa min. da p.p.f.	Testata min. da ultimo p.p.f.
1 A	370	4	♿	80	120	138	158	200	75	200	110	330
	480	6	♿	95	130	147	164	200	80	200	110	330
	630	8	♿	110	140	162	174	200	80	200	110	330
	900	12	♿	140	150	198	181	200	90	200	110	330
2 O	370	4	♿	80	120	138	165	200	75	200	110	330
	480	6	♿	95	130	147	175	200	75	200	110	330
	630	8	♿	110	140	162	185	200	80	200	110	330
	900	12	♿	140	150	198	195	200	90	200	110	330
2 A	530	7	♿	120	120	185	158	200	75	200	110	330
	670	9	♿	130	130	197	164	200	75	200	110	330
	800	11	♿	140	140	210	174	200	80	200	110	330
3 A	530	7	♿	120	120	189	165	200	75	200	110	330
	670	9	♿	130	130	199	175	200	75	200	110	330
	800	11	♿	140	140	209	185	200	80	200	110	330
Attenzione:			i dati contenuti nella presente tabella possono essere soggetti ad aggiornamenti senza preavviso.									


**Tabella
Ascensori Gearless Sedia**

TIPO	PORTATA Kg.	PERSONE n.	UTILIZZO	LC cm.	PC cm.	LV cm.	PV cm.	HC min cm.	LP min cm.	HP min cm.	Fossa min. da p.p.f.	Testata min. da ultimo p.p.f.
1 A	370	4	♿	80	120	140	153	200	75	200	110	340
	480	6	♿	95	130	145	163	200	80	200	110	340
	630	8	♿	110	140	165	173	200	80	200	110	340
	900	12	♿	140	150			200	90	200	110	340
2 O	370	4	♿	80	120	140	165	200	75	200	110	340
	480	6	♿	95	130	145	175	200	75	200	110	340
	630	8	♿	110	140	165	185	200	80	200	110	340
	900	12	♿	140	150			200	90	200	110	340
Attenzione:			i dati contenuti nella presente tabella possono essere soggetti ad aggiornamenti senza preavviso.									


PIANTE DOA



PIANTE SLA



PIANTE TAA



PIANTE DAA




Tabella Ascensori Oleodinamici

TIPO	PORTATA Kg.	PERSONE n.	UTILIZZO	LC cm.	PC cm.	LV cm.	PV cm.	HC min cm.	LP min cm.	HP min cm.	Fossa min. da p.p.f.	Testata min. da ultimo p.p.f.
1 A	370	4	♿	80	120	135	150	200	75	200	110	340
	480	6	♿	95	130	142	160	200	80	200	110	340
	630	8	♿	110	140	157	170	200	80	200	110	340
	900	12	♿	140	150	198	180	200	90	200	110	340
2 O	370	4	♿	80	120	135	165	200	75	200	110	340
	480	6	♿	95	130	142	175	200	75	200	110	340
	630	8	♿	110	140	157	185	200	80	200	110	340
	900	12	♿	140	150	198	195	200	90	200	110	340
2 A	530	7	♿	120	120	180	152	200	75	200	110	340
	670	9	♿	130	130	190	162	200	75	200	110	340
	800	11	♿	140	140	200	172	200	80	200	110	340
3 A	530	7	♿	120	120	180	165	200	75	200	110	340
	670	9	♿	130	130	190	175	200	75	200	110	340
	800	11	♿	140	140	200	185	200	80	200	110	340

Attenzione:

i dati contenuti nella presente tabella possono essere soggetti ad aggiornamenti senza preavviso.